Search History 9/16/2005 5:43:34 PM Page 1
C:\Documents and Settings\asaxena\text{NY Documents\EAST\Workspaces\09683739.wsp}

Search History 9/16/2005 5:43:34 PM Page 2 C:\Documents and Settings\asaxena\My Documents\EAST\Workspaces\09683739.wsp

							ि
	2005/09/08 17:24	2005/09/08 16:29 2005/09/08 16:29	2005/09/08 16:22 2005/09/08 16:25 2005/09/08 16:29	2005/09/08 15:43 2005/09/16 10:38 2005/09/08 15:47 2005/09/08 16:21	2005/08/10 12:10 2005/09/08 15:43 2005/09/08 15:43 2005/09/08 15:45	2005/08/10 12:03 2005/08/10 12:07 2005/09/07 14:42	Time Stamp 2005/08/10 12:02 2005/08/10 12:03
· · · · · · · · · · · · · · · · · · ·		- Control of the Cont					
	510 2	1 810	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	898	865	S97	·
	49	ස	45888	167	203	34	136
"4578677" "459567" "4631697" "5296787" "5838949" "6006527" "6014749" "6144509") pp	"\$550875" "\$420831" "\$500808" "\$559875" "\$57910" "\$680340" "6052000" "3659288" "4344179" "4503549" "4598270" "4617535" "4782499" "4794341" "4797679" "4811343" "4910698" "4942522" "5008938" "\$258660" "5331570" "5306435" "\$414381" "\$467040" "\$531837" "\$536156" "\$650946" "\$586540" "\$953068" "6069496" "5886540" "6173241" "6225937" "6104210" "6173241" "\$486753" "\$5261435" "4880753" "4410981" "\$5614575" "4880753" "4410581"	S99 and (simulat\$4 emulat\$4)	S99 and simulat\$4 emulat\$4	(forward reverse) adj traversal	(tree graph DAG CDF) with extract\$4 with (netlist circuit)	(state adj change) and (clock adj cycle) and ("fan-in" fanin fanout "fan-out")	trace with (("fan-in" (fan adj in)) ("fan-out" (fan adj out)))
	USPAT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
	·	Ş	S	Я	Я	Я	, S
	P	OFF FF	OFF	OFF	OFF	OFF	OFF
	2005/09/08 18:52	2005/09/08 18:30	2005/09/08 18:30	2005/09/08 18:43	2005/09/08 18:29	2005/09/08 18:26	2005/09/08 17:48

# Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S71	20	S70 and HDL	USPAT	HLIM	유	2005/08/10 12:02
S72	0	716/4.ccls. and (forward and (reverse backward))	USPAT	HIIM	OFF	2005/08/10 12:03
S73	202	716/4.ccls. and (forward or (reverse backward))	USPAT	HIIM	OFF	2005/08/10 12:03
S74	70	716/4.ccls. and traversal	USPAT	HLIM	윘	2005/08/10 12:07
S75	16	716/4-5.cds. and ((backward or forward or reverse) adj3 traversal)	USPAT	HLIM	OFF	2005/09/07 14:42
576	275	path adj2 extraction	USPAT	HIIM	OFF	2005/08/10 12:10
S77	<b>S</b> 8	path with sensitization	USPAT	HTIW	OFF	2005/09/08 15:43
88 88	82	path with sensitization	USPAT	HLIM	OFF.	2005/09/08 15:43
<b>8</b> 2	0	S80 and ((forward reverse) with traversal)	USPAT	HTIM	OFF	2005/09/08 15:45
S82	<b>J</b> A	S80 and ((forward reverse))	USPAT	HLIM	OFF	2005/09/08 15:43
<b>S83</b>	_	"09/683739"	US-PGPUB	QR	OFF	2005/09/16 10:38
S84	<u></u>	"09/829535"	US-PGPUB	Я Я	OFF	2005/09/08 15:47
<b>282</b>	_	"09/764396"	US-PGPUB	유	OFF	2005/09/08 16:21
S87	<b>,</b>	"6789242"	USPAT	ᄋᠷ	OFF	2005/09/08 16:22
990	7	("5220512" "5867399" "6442741" "6154719" "5937190" "5111413" "5751592").pn.	USPAT	OR.	OFF	2005/09/08 16:25
S91	2055	connection with graph	USPAT	OR.	OFF	2005/09/08 16:29
S92	52	S91 and (HDL verilog vhdl)	USPAT	OR.	유	2005/09/08 16:29
S93	5483	connection with graph	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR.	OFF	2005/09/08 16:29
S94	93	S93 and (HDL verilog vhdl)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	S	OFF	2005/09/08 17:24
S95	846	703/14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	Ş	OFF	2005/09/08 18:53

\* };

Search History 9/16/2005 5:43:34 PM Page 3
C:\Documents and Settings\asaxena\My Documents\EAST\Workspaces\09683739.wsp

1 S11	0 S11	6 01S	\$10 7	9 810	\$10 5	\$10 4	3 3
8	17	367	32	70101	246	, 762	
(fanin "fan-in" (reverse with traversal)) with (fanout "fan-out" (forward with traversal)) with (combin\$4 intersect\$4)	(fanin "fan-in" (reverse with traversal)) with (fanout "fan-out" (forward with traversal)) with (combin\$4 intersect\$4)	703/15.ccls.	(active adj (component path)) same (vhdl verilog hdl)	(active adj (component path))	S104 and (DAG tree graph)	703/13.cds.	("6404256" "4253154" "4282470" "4290135" "4456880" "4513347" "4461601" "4813714" "4835767" "4839770" "4924468" "4956741" "4959606" "5191594" "5210700" "5209519" "5269378" "5298866" "5213398" "5361277" "5386582" "5269378" "5250800" "5513187" "52588074" "52510800" "5513187" "5588075" "5253250" "562733" "625931" "6263890" "5713176" "5598075" "5253505" "427832" "4251815" "4251815" "4253611" "4251815" "4253627" "4253955" "4253955" "4356975" "4356975" "4365937" "4366937" "4366937" "4366937" "4366937" "4366937" "4366937" "4366937" "4366937" "4366937" "4366937" "4366937" "4366937" "4366937" "4366938" "4366938" ),pn.
USPAT	US-PGPUB	US-PGPUB; USPAT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	USPAT
S	Ş	웃	S	Я	Ş	<u></u> 92	Q
9	9	유	O <sub>N</sub>	ON O	OFF	OFF	OFF
2005/09/15 11:27	2005/09/15 11:34	2005/09/14 16:28	2005/09/09 09:35	2005/09/09 09:34	2005/09/09 09:34	2005/09/08 18:53	2005/09/08 18:52

);

US-PGPUB OR
USPAT OR
USPAT OR
USPAT OR
USPAT OR
R
US-PGPUB; OR USPAT
US-PGPUB; OR USPAT; USOCR
US-PGPUB; OR USPAT
US-PGPUB OR
US-PGPUB OR
US-PGPUB; OR USPAT; USOCR; DERWENT; DEM_TDB
US-PGPUB; OR USPAT; USOCR; DERWENT; DERWENT;
US-PGPUB; OR USPAT; USOCR; DERWENT; DBM_TDB
US-PGPUB OR
USOCR; OR EPO; JPO; DERWENT; IBM_TDB



Home | Login | Logout | Access Information | Alerts |

EEE	Xplore PRELEASE 2.1		W	elcome United States F	Patent and Tra	demark Office	·
Search Re	sults			BROWSE	SEARCH	IEEE XPLORE GUIDE	
Your searc	"( path enumeration <in>i h matched 24 of 1235066 on of 100 results are displayed</in>	locuments.		e, sorted by Relevance i	n Descending	<b>≥</b> e-r order.	nail
» Search O	ptions				•		
View Sessi	on History			earch			
New Searc	<u>h</u>	( path	enu	meration <in>metadata)</in>		»	
		_ □ c	hec	k to search only within th	is results set		
» Other Res (Available F	sources For Purchase)	Displ	ay I	Format:   Citation	Citation &	Abstract	
Top Book	Results	Select	A	ticle Information		•	
	Edition: 1			Guntzel, J.L.; Pinto, A.C.	M.; Moraes, F. n, 1998. Procee ge(s):208 - 211 0.1109/SBCCI	dings. XI Brazilian Symposium on .1998.715443	ise
» Key IEEE JNL	IEEE Journal or			enumeration and const	traint program	ts from behavioral VHDL program	s u
IEE JNL	Magazine IEE Journal or Magazine			Volume 3, Issue 2, June	ation (VLSI) Sys e 1995 Page(s		
IEEE CNF	IEEE Conference Proceeding			Digital Object Identifier 1			
IEE CNF	IEE Conference Proceeding			AbstractPlus   Full Text:	<u>PDF(1268 KB)</u>	IEEE JNL	
IEEE STD	IEEE Standard			<b>networks</b> Ayanoglu, E.;	ons Conferenc GLOBECOM '8 ):1022 - 1029 \ 0.1109/GLOCO	vol.2 DM.1989.64114	
				A computer approach fineterogeneous link-caperai, S.; Soh, S.; Reliability, IEEE Transact Volume 40, Issue 4, Oc Digital Object Identifier 1 AbstractPlus   Full Text:	ctions on tt. 1991 Page(s 0.1109/24.937	66	etv
				Performance analysis ( Li, YT.S.; Malik, S.;	of embedded	software using implicit path enum	era

Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction:

Volume 16, Issue 12, Dec. 1997 Page(s):1477 - 1487

AbstractPlus | References | Full Text: PDF(212 KB) | IEEE JNL

Digital Object Identifier 10.1109/43.664229

	<ol> <li>Exact and approximate improvement to the throughput of a stochastic net Yupo Chan; Yim, E.; Marsh, A.; Reliability, IEEE Transactions on Volume 46, Issue 4, Dec. 1997 Page(s):473 - 486 Digital Object Identifier 10.1109/24.693780</li> </ol>
	AbstractPlus   Full Text: PDF(1148 KB) IEEE JNL
	7. Effect of mobility on PRMA Mehta, N.B.; Goldsmith, A.J.; Communications, IEEE Transactions on Volume 50, Issue 3, March 2002 Page(s):400 - 405 Digital Object Identifier 10.1109/26.990902
	AbstractPlus   References   Full Text: PDF(298 KB)   IEEE JNL
	8. The use of game theory to measure the vulnerability of stochastic network Bell, M.G.F.; Reliability, IEEE Transactions on Volume 52, Issue 1, March 2003 Page(s):63 - 68 Digital Object Identifier 10.1109/TR.2002.808062
	AbstractPlus   References   Full Text: PDF(327 KB)   IEEE JNL
□	<ol> <li>Improving critical path identification in functional timing analysis Ferrao, D.; Wilke, G.; Reis, R.; Guntzel, J.L.; Integrated Circuits and Systems Design, 2003. SBCCI 2003. Proceedings. 16t 8-11 Sept. 2003 Page(s):297 - 302</li> </ol>
	AbstractPlus   Full Text: PDF(270 KB)   IEEE CNF
. [	10. ATPG for path delay faults without path enumeration Micheal, M.; Tragoudas, S.; Quality Electronic Design, 2001 International Symposium on 26-28 March 2001 Page(s):384 - 389 Digital Object Identifier 10.1109/ISQED.2001.915260
	AbstractPlus   Full Text: PDF(687 KB)   IEEE CNF
	11. The measurement of reliability in stochastic transport networks Bell, M.G.H.; Intelligent Transportation Systems, 2001. Proceedings. 2001 IEEE 25-29 Aug. 2001 Page(s):1183 - 1188 Digital Object Identifier 10.1109/ITSC.2001.948831 AbstractPlus   Full Text: PDF(304 KB) IEEE CNF
	12. Data flow based cache prediction using local simulation Wolf, F.; Ernst, R.; High-Level Design Validation and Test Workshop, 2000. Proceedings. IEEE Ir 8-10 Nov. 2000 Page(s):155 - 160 Digital Object Identifier 10.1109/HLDVT.2000.889577 AbstractPlus   Full Text: PDF(688 KB) IEEE CNF
	13. Effect of fixed and interference-induced packet error probability on PRM. Mehta, N.B.; Goldsmith, A.; Communications, 2000. ICC 2000. 2000 IEEE International Conference on Volume 1, 18-22 June 2000 Page(s):362 - 366 vol.1 Digital Object Identifier 10.1109/ICC.2000.853278  AbstractPlus   Full Text: PDF(376 KB) IEEE CNF
П	14.
11	Delay-power performance analysis

Cremoux, S.; Aline, M.; Azemard, N.; Auvergne, D.; Electronics, Circuits and Systems, 1999. Proceedings of ICECS '99. The 6th IE Conference on Volume 3, 5-8 Sept. 1999 Page(s):1543 - 1546 vol.3 Digital Object Identifier 10.1109/ICECS.1999.814465 AbstractPlus | Full Text: PDF(372 KB) IEEE CNF 15. Effect of mobility on PRMA Mehta, N.B.; Goldsmith, A.; Communications, 1999. ICC '99. 1999 IEEE International Conference on Volume 2, 6-10 June 1999 Page(s):1110 - 1114 vol.2 Digital Object Identifier 10.1109/ICC.1999.765458 AbstractPlus | Full Text: PDF(448 KB) IEEE CNF 16. On the false path problem in hard real-time programs Altenbernd, P.; Real-Time Systems, 1996., Proceedings of the Eighth Euromicro Workshop or 12-14 June 1996 Page(s):102 - 107 Digital Object Identifier 10.1109/EMWRTS.1996.557827 AbstractPlus | Full Text: PDF(544 KB) | IEEE CNF 17. A new CMOS circuit representation for timing verification Liao, J.; Ni, L.M.; Circuits and Systems, 1988., IEEE International Symposium on 7-9 June 1988 Page(s):483 - 486 vol.1 Digital Object Identifier 10.1109/ISCAS.1988.14969 AbstractPlus | Full Text: PDF(312 KB) IEEE CNF 18. A WDM cross-connect star topology for the bilayered ShuffleNet Ayadi, F.; Hayes, J.F.; Kavehrad, M.; Electrical and Computer Engineering, 1993. Canadian Conference on 14-17 Sept. 1993 Page(s):1115 - 1118 vol.2 Digital Object Identifier 10.1109/CCECE.1993.332261 AbstractPlus | Full Text: PDF(304 KB) | IEEE CNF 19. Assessing the costs (and benefits) of dependable public IP service netwo Stoker, E.; Dugan, J.B.; Reliability and Maintainability, 2004 Annual Symposium - RAMS 2004 Page(s):405 - 411 Digital Object Identifier 10.1109/RAMS.2004.1285483 AbstractPlus | Full Text: PDF(481 KB) | IEEE CNF 20. Static timing analysis with false paths Haizhou Chen; Bing Lu; Ding-Zhu Du; Computer Design, 2000. Proceedings. 2000 International Conference on 17-20 Sept. 2000 Page(s):541 - 544 Digital Object Identifier 10.1109/ICCD.2000.878336 AbstractPlus | Full Text: PDF(308 KB) | IEEE CNF 21. POPS: A tool for delay/power performance optimization Azemard, N.; Aline, M.; Auvergne, D.; ASIC/SOC Conference, 2000. Proceedings. 13th Annual IEEE International 13-16 Sept. 2000 Page(s):276 - 280 Digital Object Identifier 10.1109/ASIC.2000.880715 AbstractPlus | Full Text: PDF(436 KB) | IEEE CNF <sup>22.</sup> Concurrent path sensitization in timing analysis Marques Silva, J.; Sakallah, K.A.;

European 20-24 Sept. 1993 Page(s):196 - 199 Digital Object Identifier 10.1109/EURDAC.1993.410637
AbstractPlus   Full Text: PDF(272 KB)   IEEE CNF
23. A Systematic Method of Finding All Directed Circuits and Enumerating A Kamae, T.; Circuits and Systems, IEEE Transactions on [legacy, pre - 1988] Volume 14, Issue 2, Jun 1967 Page(s):166 - 171
AbstractPlus   Full Text: PDF(592 KB)   IEEE JNL
24. Modeling complex flows for worst-case execution time analysis Engblom, J.; Ermedahl, A.; Real-Time Systems Symposium, 2000. Proceedings. The 21st IEEE 27-30 Nov. 2000 Page(s):163 - 174 Digital Object Identifier 10.1109/REAL.2000.896006  AbstractPlus   Full Text: PDF(1044 KB) IEEE CNF

Indexed by

Help Contact Us Privacy &:

© Copyright 2005 IEEE -